



MIXERS

FORMULA

Mixers

| | | | |
|-------|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 26982 | FORMULA 328 | 32 Mono channel frames, 4 Sub groups, HPF 100Hz, 8 Auxiliary sends - 8-In/1-Out x 4 Matrix 6 Stereo channels - 4 Band EQ - 100 mm faders | € 5.333,28 |
| 26981 | FORMULA 248 | 24 Mono channel frames, 4 Sub groups, HPF 100Hz, 8 Auxiliary sends - 8-In/1-Out x 4 Matrix 6 Stereo channels - 4 Band EQ - 100 mm faders | € 4.444,40 |
| 28146 | FORMULA 182 E | 18 Mono channel frames - HPF 100Hz - 7 Auxiliary sends - 2 Stereo ch. - 256 DSP digital effects - 3 Band EQ on all mono ch. - 100 mm faders | € 2.737,75 |
| 26980 | FORMULA 122 E | 12 Mono ch frames - HPF 100Hz - 5 Auxiliary sends - 2 Stereo ch - 256 DSP digital effects - 3 Band EQ on all mono ch - 100 mm faders | € 1.777,76 |
| 31796 | FORMULA 143 | 6 Mono+4 stereo channel powered mixer - 2x850W - 3 Band EQ, 4 Auxiliary sends. Triple built-in digital effect, 2x7 Band graphic equaliser | € 2.222,22 |

Accessories for FORMULA Series

| | | | |
|-------|---------------|------------------------------------|----------|
| 28770 | FK 328 | Flight-case for Formula 328 Mixer | € 486,66 |
| 28771 | FK 248 | Flight-case for Formula 248 Mixer | € 420,00 |
| 28772 | FK 182 | Flight-case for Formula 182E Mixer | € 384,44 |
| 28773 | FK 122 | Flight-case for Formula 122E Mixer | € 340,00 |

SELECTOR

| | | | |
|-------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 12928 | SP 28 | Stereo selector with 4 stereo ch, frequ response (@-3 dB) 10Hz to 20kHz Power, Priority, Left/Right push-button. Inputs 20kOhm, Output 600Ohm | € 444,44 |
|-------|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------|

POWER AMPLIFIERS

SYMBOL

Amplifiers

| | | | |
|-------|---------------------|-----------------------------------------|------------|
| 16216 | SYMBOL 18000 | Stereo Power Amp 2400+2400W rms (2 Ohm) | € 2.257,76 |
| 16114 | SYMBOL 12000 | Stereo Power Amp 1500+1500W rms (2 Ohm) | € 1.851,09 |

HP

Amplifiers

| | | | |
|-------|----------------|----------------------------------------------|----------|
| 02680 | HP 1000 | Stereo Power Amplifier, 500+500W rms (4 Ohm) | € 882,21 |
| 03084 | HP 600 | Stereo Power Amplifier, 300+300W rms (4 Ohm) | € 746,66 |
| 03085 | HP 400 | Stereo Power Amplifier, 200+200W rms (4 Ohm) | € 655,55 |

Accessories For SYMBOL And HP Series

| | | | |
|-------|----------------|-------------------------------------------------------------------------|----------|
| 05370 | FK 12W | Flight-case 12 HU, protection panels (front+back), depth 43 cm w/wheels | € 788,88 |
| 05373 | FK 8W | Flight-case 8 HU, protection panels (front+back), depth 43 cm w/wheels | € 688,88 |
| 05369 | FK 6 | Flight-case 6 HU, with protection panels (front and back), depth 43 cm | € 488,88 |
| 05368 | FK 4 | Flight-case 4 HU, with protection panels (front and back), depth 43 cm | € 460,00 |
| 12731 | PL-C 4B | Blank Panel 4 Rack Units | € 15,56 |
| 12730 | PL-C 3B | Blank Panel 3 Rack Units | € 15,56 |
| 12729 | PL-C 2B | Blank Panel 2 Rack Units | € 13,33 |
| 12728 | PL-C 1B | Blank Panel 1 Rack Unit | € 13,33 |



SPEAKER SYSTEMS

MODUS

| Line Array Powered Speaker Systems | | | |
|------------------------------------|--------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 26977 | MODUS 40 A | 2-way, true line array bi-amp system in bass-reflex, 8 x 8" neodymium woofers, 8 x 1" neodymium driver, 8 x waveguide horns, 40° vertical coverage, 1400W rms Class D amp for the LF section, 700W rms Class D amp for the HF section | € 5.006,62 |
| 26978 | MODUS 15 A | 2-way, true line array bi-amp system in bass-reflex, 8 x 8" neodymium woofers, 8 x 1" neodymium driver, 8 x waveguide horns, 15° vertical coverage, 1400W rms Class D amp for the LF section, 700W rms Class D amp for the HF section | € 5.006,62 |
| Line Array Powered Sub-Woofers | | | |
| 26979 | MODUS SUB A | Amplified sub-woofer system in band-pass design, 2 x 15" custom neodymium woofers, 1400W rms Class D amp, DSP. On-board presets, Digital delay line, Control panel | € 3.379,97 |
| Line Array Passive Speaker Systems | | | |
| 25339 | MODUS 40 | 2 -way passive/bi-amp true line array system in bass reflex, 8 x 8" neodymium woofers, 8 x 1" driver, 8 x waveguide horns, 40° vertical coverage, 1600W recommended amp (full range), 138 db SPL Max | € 3.804,41 |
| 25340 | MODUS 15 | 2 -way passive/bi-amp true line array system in bass reflex, 8 x 8" neodymium woofers, 8 x 1" driver, 8 x waveguide horns, 15° vertical coverage, 1600W recommended amp (full range), 138 db SPL Max, side metal bars included | € 3.804,41 |
| Line Array Passive Sub-Woofers | | | |
| 25362 | MODUS SUB | Sub-woofer system in band-bass configuration, 2 x 15" custom woofers 38Hz Ext. Freq. Response, 1600W recommended amp, 141 db SPL Max, side metal bars included | € 2.133,31 |
| Accessories for MODUS Series | | | |
| 25391 | MD-FSAT | Flying bar for rigging Modus Sat | € 455,55 |
| 26214 | MD-FSUB | Flying bar for rigging Modus Sub | € 639,99 |
| 29309 | MD-WB | Stand base to tilt Modus 15/40 on Modus Sub | € 195,55 |
| 25393 | MD-B | Stand base to tilt Modus 15 + Modus 40 on theatre stage f.o.h. | € 615,55 |
| 26213 | MD-TSAT | Trolley for 2 x Modus Sat | € 353,33 |
| 25394 | MD-TSUB | Trolley for 2 x Modus Sub | € 317,77 |



MITUS

| Line Array Powered Speaker Systems | | | |
|--------------------------------------------------|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 31708 | MITUS 206 LA | Compact true line array bi-amp. system, 2x6,5" B&C neod. woofers, 1x1,4" HF driver, 600+300W rms Class D amp. DSP on-board presets, switch mode supply, polyp. Encl., integr. rigging hardw. | € 1.575,76 |
| 31709 | MITUS 212 FSA | Flyable active Subwoofer in band-bass design, 2x12" custom neodymium woofer, 1200W rms class D amp, DSP on-board presets, 45 Hz freq. resp., switch mode supply, baltic birch cabinet | € 1.765,66 |
| Accessories for MITUS Line Array Speaker Systems | | | |
| 31805 | MT-F 206 | Flying bar MITUS 206 LA | € 303,03 |
| 31804 | MT-F 212 | Flying bar MITUS 212 FSA | € 377,78 |
| 31806 | MT-J 206 | Joint Bar MITUS 212 FSA with 206LA | € 189,90 |
| 31888 | MT-B 206 | Metal Base to ground 206 LA array or stack on 118 SA or 121 SA subs | € 377,78 |
| Powered Sub-woofers | | | |
| 31758 | MITUS 121 SA | Amplified sub-woofer in bass reflex, 1x21" B&C neodymium woofer, 1200 W rms Class D amp. DSP on-board presets, 29 Hz freq. resp. switch mode supply, baltic birch cabinet | € 2.202,02 |
| 31757 | MITUS 118 SA | Amplified sub-woofer in band-pass design, 1x18" B&C neodymium woofer, 1200 W rms Class D amp. DSP on-board presets, switch mode supply, baltic birch cabinet | € 1.684,85 |
| 31829 | MITUS 112 SA | Amplified sub-swoofer in band-pass design, 1x12" B&C neodymium woofer, 1200W rms Class D amp. DSP on-board presets, switch mode supply, baltic birch cabinet | € 1.125,25 |
| Powered Speaker Systems | | | |
| 31760 | MITUS 115 A | 2-way, bi-amplified 600+300W rms Class D amp. DSP on-board presets, 1x15" B&C neodymium woofer, 1x1" HF driver, 80x50° horn, baltic birch cabinet | € 1.391,92 |
| 31759 | MITUS 112 A | 2-way, bi-amplified 600+300W rms Class D amp. DSP on-board presets, 1x12" B&C neodymium woofer, 1x1" HF driver, 80x50° horn, baltic birch cabinet | € 1.210,10 |
| 31828 | MITUS 108 A | 2-way, bi-amplified 600+300W rms Class D amp. DSP on-board presets, 1x8" B&C neodymium woofer, 1x1" driver, 80x50° horn, baltic birch cabinet | € 1.050,51 |
| Powered Stage Monitor | | | |
| 31761 | MITUS 210 MA | 2-way, bi-amplified stage monitor, 600+300W rms Class D amp., DSP on-board presets, 2x10" B&C neod. woofer, 1x1,4" HF driver coaxially mounted, 70° conical horn, switch mode supply, baltic birch cab. | € 1.464,65 |
| All-Horn Powered Speaker Systems | | | |
| 31852 | MITUS 112 HA | Two-way active full horn-loaded cabinet, 600+300W rms Class D amp, DSP on-board presets, 1x12" woofer, 1x2" compression driver, baltic birch cabinet | € 1.943,43 |
| Passive Speaker Systems | | | |
| 31860 | MITUS 115 | 2-way, 8 Ohm, 800/1400W 1x15" B&C neodymium woofer, 1x1" HF driver, 80x50° horn, baltic birch cabinet | € 977,78 |
| 31859 | MITUS 112 | 2-way, 8 Ohm, 700/1200W 1x12" B&C neodymium woofer, 1x1" HF driver, 80x50° horn, baltic birch cabinet | € 810,10 |
| Passive Sub-woofers | | | |
| 31862 | MITUS 121 S | Bass reflex, 4 Ohm, 1x21" B&C neodymium woofer, 2000/3600 W, 29 Hz freq. resp., baltic birch cabinet | € 1.717,17 |



| | | | |
|-------|--------------------|---------------------------------------------------------------------------------------------------------|------------|
| 31861 | MITUS 118 S | Vented bandpass, 4 Ohm, 1x18" B&C neodymium woofer, 1200/2400W, 36 Hz freq. resp., baltic birch cabinet | € 1.202,02 |
|-------|--------------------|---------------------------------------------------------------------------------------------------------|------------|



PSR - PROFESSIONAL SOUND REINFORCEMENT

| Digital Processed Active Speaker Systems | | | |
|------------------------------------------|-------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 20572 | PSR 230 A | 2 -way, bi-amplified 1000W rms PWM for 2 x 15" woofer, 300W rms for 1 x 2" driver with digital processor with remote control network, 13ply baltic birch cabinet, 4 x M10 flying points, durable paint | € 3.151,08 |
| 20571 | PSR 215 A | 2 -way, bi-amplified 800W rms PWM for 1 x 15" woofer , 300W rms for 1 x 2" driver with digital processor with remote control network, 13ply baltic birch cabinet, 4 x M10 flying points, durable paint | € 2.462,20 |
| 20570 | PSR 212 A | 2 -way, bi-amplified, 600W rms PWM for 1 x 12" woofer , 200W rms for 1 x 1,4" driver with digital processor with remote control network, 13ply baltic birch cabinet, 4xM10 flying pts, durable paint | € 1.946,65 |
| Digital Processed Active Sub-Woofer | | | |
| 20573 | PSR 118 SA | Vented bandbass, 1000W rms built-in amplifier for 1x18" sub-woofer, digital processor with remote control network, 13ply baltic birch cabinet, durable paint | € 2.275,53 |
| Digital Processed Active Stage Monitor | | | |
| 20574 | PSR 212 MA | 2-way, bi-amplified, 400W rms PWM for 1 x 12" coaxial woofer, 100W rms for 1 x 1,4" driver with digital processor with remote control network, 13ply baltic birch cabinet, durable paint | € 1.699,98 |
| Network Interface | | | |
| 23362 | NI 32 | Network Interface for remote control of 32 active PSR speakers | € 946,66 |
| Passive Speaker Systems | | | |
| 16909 | PSR 230 | 2 -way, 4 Ohm, 1600/3200W rms for 2x15" woofer, 1x2" driver with custom horn 13ply baltic birch cabinet, 4 x M10 flying points, durable paint | € 1.982,20 |
| 16908 | PSR 215 | 2 -way, 8 Ohm, 800/1600W rms for 1x15" woofer, 1x2" driver with custom horn 13ply baltic birch cabinet, 4 x M10 flying points, durable paint | € 1.295,54 |
| 16907 | PSR 212 | 2 -way, 8 Ohm, 600/1200W rms for 1x12" woofer, 1x1,4" driver with custom horn 13ply baltic birch cabinet, 4 x M10 flying points, durable paint | € 986,66 |
| Passive Sub-Woofer | | | |
| 16910 | PSR 118 S | Vented bandbass, 4 Ohm, 1600/3200W, 1x18" | € 1.117,77 |
| Passive Stage Monitor | | | |
| 16911 | PSR 212 M | 2 -way, 8 Ohm, 600/1200W rms for 1x12" woofer, 1x1,4" driver with custom horn 13ply baltic birch cabinet, durable paint | € 915,55 |
| Accessories for PSR Series | | | |
| 05451 | SS2 | Wall adjustable arm. Max weight 100 Kg | € 73,33 |
| 29061 | BOX 32BK | Adjustable aluminum floor stand, damped safety mechanism. Max weight 70 Kg. Diam 35mm | € 46,67 |
| 29063 | BOX 52BK | Adjustable stand for Sub-Satellite connection with safety locking device. Dia 35 mm. | € 15,56 |
| 24233 | BOX 123 | Cieling speaker bracket balancing stand for PSR 215 | € 160,00 |
| 24234 | BOX 124 | Cieling speaker bracket balancing stand for PSR 212 | € 160,00 |
| 24236 | BOX 126 | Adapter for BOX 123/124 Diam 35 mm | € 24,44 |
| 24235 | BOX 125 | Truss clamp for BOX 123/124 | € 26,67 |
| 23596 | BOX 120 | Directional wall mount for PSR 212 | € 53,33 |
| 25197 | KBW 1004S | Wheels for PSR 118S/SA | € 88,89 |



VERVE

| Powered Speaker Systems | | | |
|--------------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 26163 | VERVE 215 A | 2 -way, bi-amplified 600W rms Class D for 2x15" neodymium woofer, 150W rms Class G for 1x2" driver, baltic birch cabinet, durable paint | € 1.959,98 |
| 26162 | VERVE 152 A | 2 -way, bi-amplified 500W rms Class D for 1x15" neodymium woofer, 150W rms Class G for 1x2" driver, baltic birch cabinet, durable paint | € 1.542,21 |
| 26161 | VERVE 15 A | 2 -way, bi-amplified 350W rms Class G for 1x15" neodymium woofer, 100W rms Class G for 1x1" driver, baltic birch cabinet, durable paint | € 968,88 |
| 26160 | VERVE 12 A | 2 -way, bi-amplified 300W rms Class G for 1x12" neodymium woofer, 100W rms Class G for 1x1" driver, baltic birch cabinet, durable paint | € 904,44 |
| 26159 | VERVE 10 A | 2 -way, bi-amplified 250W rms Class G for 1x10" neodymium woofer, 100W rms Class G for 1x1" driver, baltic birch cabinet, durable paint | € 837,77 |
| Powered Sub-Woofers | | | |
| 26165 | VERVE 18 SA | Amplified Subwoofer in bass-reflex, 1 x 18", 600W rms Class D amplifier, baltic birch cabinet, durable paint | € 1.477,76 |
| 26164 | VERVE 15 SA | Amplified Subwoofer in bass-reflex, 1 x 15", 500W rms Class D amplifier, baltic birch cabinet, durable paint | € 1.306,65 |
| Powered Stage Monitor | | | |
| 26167 | VERVE 15 MA | 2 -way, bi-amplified 350W rms Class G for 1x15" woofer, 100W Class G for 1x1" driver coaxial mount, baltic birch cabinet, durable paint | € 1.019,99 |
| 26166 | VERVE 12 MA | 2 -way, bi-amplified 300W rms Class G for 1x12" woofer, 100W rms Class G for 1x1" driver coaxial mount, baltic birch cabinet, durable paint | € 864,44 |
| 26158 | VERVE 8 MA | 2 -way, bi-amplified 150W rms Class G for 1x8" woofer, 50W rms Class G for 1x1" driver coaxial mount, baltic birch cabinet, durable paint | € 668,88 |
| Passive Speaker Systems | | | |
| 23515 | VERVE 215 | 2 -way, 4 Ohm, 1400/2800W rms for 2x15" neodymium woofer, 1x2" driver with custom rotatable 60x40° horn, baltic birch cabinet, durable paint | € 1.322,21 |
| 23514 | VERVE 152 | 2 -way, 8 Ohm, 700/1400W rms for 1x15" neodymium woofer, 1x2" driver with custom rotatable 60x40° horn, baltic birch cabinet, durable paint | € 957,77 |
| 23513 | VERVE 15 | 2 -way, 8 Ohm, 400/800W rms for 1x15" neodymium woofer, 1x1" driver with custom rotatable 80x50° horn, baltic birch cabinet, durable paint | € 664,44 |
| 23512 | VERVE 12 | 2 -way, 8 Ohm, 300/600W rms for 1x12" neodymium woofer, 1x1" driver with custom rotatable 80x50° horn, baltic birch cabinet, durable paint | € 579,99 |
| 23511 | VERVE 10 | 2 -way, 8 Ohm, 250/500W rms for 1x10" neodymium woofer, 1x1" driver with custom rotatable 80x50° horn, baltic birch cabinet, durable paint | € 493,33 |
| Passive Sub-Woofers | | | |
| 23517 | VERVE 18 S | Bass reflex , 4 Ohm, 1200/2400W, 1x18" custom sub-woofer baltic birch cabinet, durable paint | € 802,21 |
| 23516 | VERVE 15 S | Bass reflex , 4 Ohm, 700/1400W, 1x15" neodymium sub-woofer baltic birch cabinet, durable paint | € 633,33 |



| Passive Stage Monitor | | | | |
|------------------------------|-------------------|-----------------------------------------------------------------------------------------------------------------------|---|--------|
| 23519 | VERVE 15 M | 2 -way, 8 Ohm, 500/1000W rms for 1x15" woofer, 1x1" driver coaxial with 90° horn, baltic birch cabinet, durable paint | € | 735,55 |
| 23518 | VERVE 12 M | 2 -way, 8 Ohm, 300/600W rms for 1x12" woofer, 1x1" driver coaxial with 90° horn, baltic birch cabinet, durable paint | € | 564,44 |
| 23510 | VERVE 8 M | 2 -way, 8 Ohm, 250/500W rms for 1x8" woofer, 1x1" driver coaxial with 100° horn, baltic birch cabinet, durable paint | € | 455,55 |
| Accessories for VERVE Series | | | | |
| 05451 | SS2 | Wall adjustable arm. Max weight 100 Kg | € | 73,33 |
| 29061 | BOX 32BK | Adjustable aluminum floor stand, damped safety mechanism. Max weight 70 Kg. Diam 35mm | € | 46,67 |
| 29062 | BOX 22BK | Adjustable aluminum floor stand, Diam 35mm with Diam 25mm adapter, damped safety mechanism. Max weight 40 Kg | € | 33,33 |
| 29063 | BOX 52BK | Adjustable stand for Sub-Satellite connection with safety locking device. Dia 35 mm. | € | 15,56 |
| 23589 | BOX 113 | Wall metal stand to mount VERVE 8M in horizontal position | € | 31,11 |
| 23590 | BOX 114 | Wall metal stand to mount VERVE 10 in horizontal position | € | 40,00 |
| 23591 | BOX 115 | Wall metal stand to mount VERVE 12 in horizontal position | € | 44,44 |
| 23592 | BOX 116 | Wall metal stand to mount VERVE 15 in horizontal position | € | 48,89 |
| 23593 | BOX 117 | Wall metal stand to mount VERVE 152 in horizontal position | € | 51,11 |
| 23594 | BOX 118 | Stand adapter 2xM6-Diam35mm for VERVE 8M | € | 24,44 |
| 23595 | BOX 119 | Directional wall mount for VERVE 8M | € | 37,78 |
| 23596 | BOX 120 | Directional wall mount for VERVE 10 and VERVE 12 | € | 53,33 |
| 24231 | BOX 121 | Adjustable stand adapter 2xM6-Diam35mm for VERVE 8M | € | 37,78 |
| 24232 | BOX 122 | Adjustable truss clamp 2xM6 to mount VERVE 8M | € | 37,78 |
| 25510 | V 49 | Protection nylon bag for VERVE 215 | € | 84,44 |
| 25864 | V 52 | Protection nylon bag for VERVE 152 | € | 51,11 |
| 25509 | V 48 | Protection nylon bag for VERVE 15 | € | 46,67 |
| 25508 | V 47 | Protection nylon bag for VERVE 12 | € | 42,22 |
| 25507 | V 46 | Protection nylon bag for VERVE 10 | € | 33,33 |
| 27148 | V 55 | Protection nylon bag for VERVE 15 M | € | 37,78 |
| 27147 | V 54 | Protection nylon bag for VERVE 12 M | € | 33,33 |
| 27146 | V 53 | Protection nylon bag for VERVE 8 M | € | 40,00 |
| 25511 | V 50 | Protection nylon bag for VERVE 15 S | € | 53,33 |
| 25512 | V 51 | Protection nylon bag for VERVE 18 S | € | 68,89 |



HiMaxX

| Powered Speaker Systems | | | |
|-------------------------|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 29796 | HiMaxX 60 A | 2 -way, bi-amp 700W rms Class D for 1 x 15" custom neodymium woofer , 200W rms Class G for 1 x 1,4" custom driver/horn, polypropylene, gas-injection moulding tech. Switching Power Supply | € 1.519,98 |
| 26937 | HiMaxX 40 A | 2 -way, bi-amp 500W rms Class D for 1 x 12" custom neod. woofer , 150W rms Class G for 1 x 1" custom driver/horn, polypropylene, gas-injection moulding tech | € 1.088,88 |
| Passive Speaker Systems | | | |
| 29798 | HiMaxX 60 | 2 -way, 8 Ohm, 700/1400W rms, 1 x 15" custom neodymium woofer , 1 x 1,4" custom driver/horn, polypropylene material, gas-injection moulding tech. | € 797,77 |
| 26938 | HiMaxX 40 | 2 -way, 8 Ohm, 500/1000W rms, 1 x 12" custom neodymium woofer , 1 x 1" custom driver/horn, polypropylene material, gas-injection moulding tech. | € 588,88 |
| Powered Sub-Woofer | | | |
| 29797 | HiMaxX 100 SA | Bandbass, 900W rms built-in amplifier for 1x18" neodymium sub-woofer 13ply baltic birch cabinet, durable paint. Switching Power Supply | € 1.593,32 |

MaxX

| Powered Speaker Systems | | | |
|-------------------------|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 14897 | FBTMaxX 6 A | 2 -way, bi-amplified 700W rms PWM for 1 x 15" neodymium woofer , 200W rms for 1 x 1,4" driver with custom horn, polypropylene material, gas-injection moulding tech. | € 1.519,98 |
| 18595 | FBTMaxX 5 A | 2 -way, bi-amplified, 400W rms PWM for 1 x 15" neodymium woofer , 100W rms for 1 x 1" driver with custom horn , polypropylene material, gas-injection moulding tech. | € 1.122,21 |
| 09703 | FBTMaxX 4 A | 2 -way, bi-amplified, 300W rms PWM for 1 x 12" neodymium woofer , 100W rms for 1 x 1" driver with custom horn , polypropylene material, gas-injection moulding tech. | € 871,10 |
| 09839 | FBTMaxX 2 A | 2 -way, bi-amplified, 200W rms for 1 x 10" neodymium woofer , 50W rms for 1 x 1" driver with custom horn , polypropylene material, gas-injection moulding tech. | € 697,77 |



| Powered Sub-Woofers | | | |
|-------------------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 18586 | FBTMaxX 10 SA | Vented bandbass, 900W rms built-in amplifier for 1x15" neodymium sub-woofer 13ply baltic birch cabinet, durable paint | € 1.451,10 |
| 09705 | FBTMaxX 9 SA | Bass Reflex, 900W rms built-in amplifier for 1x15" neodymium double-coil sub-woofer polyethylene material, rotomoulding tech. | € 1.306,65 |
| Passive Speaker Systems | | | |
| 14913 | FBTMaxX 6 | 2-way, 8 Ohm, 700/1400W rms, 1x15" neodymium woofer and 1x1,4" driver with custom horn, polypropylene material, gas-injection moulding tech. | € 797,77 |
| 18597 | FBTMaxX 5 | 2-way, 8 Ohm, 400/800W rms 1x15" neodymium woofer and 1x1" driver with custom horn, polypropylene material, gas-injection moulding tech. | € 642,22 |
| 09701 | FBTMaxX 4 | 2-way, 8 Ohm, 300/600W rms 1x12" neodymium woofer and 1x1" driver with custom horn, polypropylene material, gas-injection moulding tech. | € 475,55 |
| 09838 | FBTMaxX 2 | 2-way, 8 Ohm, 250/500W rms 1x10" neodymium woofer and 1x1" driver with custom horn, polypropylene material, gas-injection moulding tech. | € 426,66 |
| Passive Sub-Woofers | | | |
| 09704 | MaxX 9 S | Bass Reflex, 40hm 900/1200W rms, 1x15" neodymium sub-woofer, Double coil, polyethylene material, rotomoulding tech. | € 793,33 |
| Accessories for FBTMaxX and HiMaxX Series | | | |
| 05451 | SS2 | Wall adjustable arm. Max weight 100 Kg | € 73,33 |
| 29061 | BOX 32BK | Adjustable aluminum floor stand, damped safety mechanism. Max weight 70 Kg. Diam 35mm | € 46,67 |
| 29062 | BOX 22BK | Adjustable aluminum floor stand, Diam 35mm with Diam 25mm adapter, damped safety mechanism. Max weight 40 Kg | € 33,33 |
| 29063 | BOX 52BK | Adjustable stand for Sub-Satellite connection with safety locking device. Dia 35 mm. | € 15,56 |
| 15771 | BOX 104 | Wall metal stand to mount MaxX 5/6, HiMaxx 60 horizontal | € 71,11 |
| 15772 | BOX 105 | Wall metal stand to mount MaxX 5/6, HiMaxx 60 vertical | € 62,22 |
| 10187 | BOX 100 | Wall metal stand to mount MaxX 4 and HiMaxX 40 in horizontal position | € 51,11 |
| 10188 | BOX 101 | Wall metal Stand to mount MaxX 4 and HiMaxX 40 in vertical position | € 51,11 |
| 13351 | BOX 102 | Wall metal stand to mount MaxX 2 in horizontal position | € 51,11 |
| 13352 | BOX 103 | Wall metal stand to mount MaxX 9S in horizontal position | € 62,22 |
| 23596 | BOX 120 | Directional wall mount for MaxX 2 and MaxX 4 | € 53,33 |
| 29486 | V 56 | Protection nylon bag for HiMaxX 100 SA | € 62,22 |
| 15777 | V 33 | Protection nylon bag for MaxX 5, MaxX 6 and HiMaxX 60 | € 64,44 |
| 10186 | V 29 | Protection nylon bag for MaxX 4 and HiMaxX 40 | € 40,00 |
| 13349 | V 30 | Protection nylon bag for MaxX 2 | € 40,00 |
| 19883 | V 39 | Protection nylon bag for MaxX 10 SA | € 53,33 |
| 13350 | V 31 | Protection nylon bag for MaxX 9S | € 53,33 |



JOLLY

| BLUE Powered Speaker Systems | | | |
|-------------------------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| 23448 | Jolly 15 BA | 2 -way, bi-amplified, 300W rms for 1 x 15" woofer , 50W rms for 1 x 1" driver with custom horn , polypropylene material, gas-injection moulding tech. | € 677,77 |
| 18324 | Jolly 12 BA | 2 -way, bi-amplified, 250W rms for 1 x 12" woofer , 50W rms for 1 x 1" driver with custom horn , polypropylene material, gas-injection moulding tech. | € 611,11 |
| 17774 | Jolly 8 BA | 2 -way, bi-amplified, 150W rms for 1 x 8" woofer , 50W rms for 1 x 1" driver with with custom horn , polypropylene material. | € 435,55 |
| 17152 | Jolly 5 BA | 2 -way, bi-amplified, 60W rms for 1 x 5" woofer , 20W rms for 1 x 1" Tweeter polypropylene material. | € 282,22 |
| 18529 | Jolly 5 BA White | 2 -way, amplified, 60W rms for 1 x 5" woofer , 20W rms for 1 x 1" Tweeter polypropylene material. | € 282,22 |
| RED Powered Speaker Systems | | | |
| 23447 | Jolly 15 RA | 2 -way, bi-amplified, 150W rms for 1x15" woofer , 50W rms for 1x1" driver with custom horn , polypropylene material, gas-injection moulding tech. | € 502,22 |
| 18326 | Jolly 12 RA | 2 -way, bi-amplified, 150W rms for 1x12" woofer , 50W rms for 1x1" driver with custom horn , polypropylene material, gas-injection moulding tech. | € 453,33 |
| 17772 | Jolly 8 RA | 2 -way, bi-amplified, 80W rms for 1x8" woofer , 20W rms for 1x1" driver with custom horn , polypropylene material. | € 326,66 |
| 17153 | Jolly 5 RA | 2 -way, bi-amplified, 60W rms for 1x5" neodymium woofer, 1x1" driver with custom horn , polypropylene material. | € 213,33 |
| Powered Sub-Woofers | | | |
| 18572 | Jolly Sub 12 A | Vented bandbass, 300W rms built-in amplifier for 1x12" 13ply baltic birch cabinet, durable paint | € 953,32 |
| 18571 | Jolly Sub 10 A | Vented bandbass, 250W rms built-in amplifier for 1x10" 13ply baltic birch cabinet, durable paint | € 762,21 |
| BLUE Passive Speaker Systems | | | |
| 23450 | Jolly 15 B | 2-way, 8 Ohm, 350/700W rms 1x15" woofer and 1x1" driver with custom horn, polypropylene material. | € 388,89 |
| 18325 | Jolly 12 B | 2-way, 8 Ohm, 300/600W rms 1x12" woofer and 1x1" driver with custom horn, polypropylene material. | € 351,11 |
| 17773 | Jolly 8 B | 2-way, 8 Ohm, 160/320W rms 1 x 8" woofer and 1 x 1" driver with custom horn, polypropylene material. | € 233,33 |
| 17154 | Jolly 5 B | 2-way, 16 Ohm, 80/120W rms 1x5" woofer and 1x1" tweeter polypropylene material. | € 135,55 |
| 18528 | Jolly 5 B White | 2-way, 16 Ohm, 80/120W rms 1x5" woofer and 1x1" tweeter polypropylene material. | € 135,55 |



| | | | | |
|-------------------------------------|-------------------------|------------------------------------------------------------------------------------------------------------------------|---|--------|
| 17155 | Jolly 5 BT | 2-way, 50W rms, 1x5" woofer, 1x1" tweeter, 70V/100V line transformer, 4-position volume switch (Off - Min - Med - Max) | € | 180,00 |
| 18530 | Jolly 5 BT White | 2-way, 50W rms, 1x5" woofer, 1x1" tweeter, 70V/100V line transformer, 4-position volume switch (Off - Min - Med - Max) | € | 180,00 |
| RED Passive Speaker Systems | | | | |
| 23449 | Jolly 15 R | 2-way, 8 Ohm, 250/500W rms 1x15" woofer and 1x1" driver with custom horn, polypropylene material. | € | 324,44 |
| 19357 | Jolly 12 R | 2-way, 8 Ohm, 300/600W rms 1x12" woofer and 1x1" driver with custom horn, polypropylene material. | € | 293,33 |
| 19355 | Jolly 8 R | 2-way, 8 Ohm, 160/320W rms 1 x 8" woofer and 1 x 1" driver with custom horn, polypropylene material. | € | 173,33 |
| 19356 | Jolly 5 R | 2-way, 16 Ohm, 80/120W rms 1x5" woofer and 1x1" tweeter polypropylene material. | € | 111,11 |
| Accessories for JOLLY Series | | | | |
| 29061 | BOX 32BK | Adjustable aluminum floor stand, damped safety mechanism. Max weight 70 Kg. Diam 35mm | € | 46,67 |
| 29062 | BOX 22BK | Adjustable aluminum floor stand, Diam 35mm with Diam 25mm adapter, damped safety mechanism. Max weight 40 Kg | € | 33,33 |
| 29063 | BOX 52BK | Adjustable stand for Sub-Satellite connection with safety locking device. Dia 35 mm. | € | 15,56 |
| 18602 | BOX 112 | Wall metal stand to mount Jolly 12 and Jolly 15 in horizontal position | € | 48,89 |
| 23596 | BOX 120 | Directional wall mount for Jolly 12/15 | € | 53,33 |
| 18570 | AJ-8 Black | Adapter from Ø 35 mm to Ø 25 mm | € | 15,56 |
| 18567 | SJ-8 Black | Directional wall mount for Jolly 8 | € | 51,11 |
| 18568 | SJ-8U Black | Wall metal Stand to mount Jolly 8 in horizontal position | € | 28,89 |
| 18569 | SJ-8T Black | Adjustable metal "T" stand for No. 2 Jolly 8 | € | 46,67 |
| 18532 | AJ-5 Black | MS 30BK Adapter for fixing purposes | € | 8,89 |
| 18522 | SJ-5 Black | Directional wall mount for Jolly 5 | € | 35,56 |
| 18525 | SJ-5 White | Directional wall mount for Jolly 5 | € | 35,56 |
| 18523 | SJ-5U Black | Mount for horizontal wall installation Jolly 5 | € | 20,00 |
| 18524 | SJ-5U White | Mount for horizontal wall installation Jolly 5 | € | 20,00 |
| 18526 | SJ-5C White | White metal frame for ceiling/wall installation Jolly 5 | € | 15,56 |
| 18527 | SJ-5T Black | Adjustable metal "T" stand for No. 2 Jolly 5 | € | 44,44 |
| 06076 | MS 30BK | Speaker stand for Jolly 5 | € | 42,22 |
| 18614 | V 38 | Protection nylon bag for Jolly 12 and Jolly 15 | € | 40,00 |
| 18613 | V 37 | Protection nylon bag for Jolly 8 | € | 40,00 |
| 18612 | V 36 | Protection nylon bag for Jolly 5 | € | 31,11 |
| 21166 | V 40 | Protection nylon bag for Jolly 10 Sub | € | 44,44 |
| 21167 | V 41 | Protection nylon bag for Jolly 12 Sub | € | 55,56 |



AMICO

| Integrated Active Sound System | | | |
|--------------------------------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 19841 | AMICO 1000 | <p>Configuration AMICO 1000:</p> <p>Stereo Mixer, 7 Mic Input + 4 stereo channels, 1 monitor lines, 1 effect line, 24V Phantom power supply, DSP multieffect 265 prgms, 1 X 600 Watt (RMS) Amplifier with PWM technology for the 15" Neodymium Sub-Woofers 2 x 150 Watt (RMS) Internal Amplifiers for the 2 x 6.5" Neodymium satellites Accessorie bag, cables and satellite stands are included in the packages</p> | € 2.311,09 |
| 24883 | AMICO 900 | <p>Configuration AMICO 900:</p> <p>Same configuration as Amico 1000 -600W+ 2x150W- without mixer. 3 tone controls, balance, master volume, subwoofer volume. Accessorie bag, cables and satellite stands are included in the packages</p> | € 1.919,98 |
| 19840 | AMICO 500 | <p>Configuration AMICO 500:</p> <p>Stereo Mixer, 5 Mic Input + 3 stereo channels, 1 monitor lines, 1 effect line, 24V Phantom power supply, DSP multieffect 265 prgms, 1 X 300 Watt (RMS) Amplifier with PWM technology for the 15" Neodymium Sub-Woofers 2 x 80 Watt (RMS) Internal Amplifiers for the 2 x 6,5" satellites Accessorie bag, cables and satellite stands are included in the packages</p> | € 1.693,32 |
| 19839 | AMICO 400 | <p>Configuration AMICO 400:</p> <p>Stereo Mixer, 2 Mic Input + 2 stereo channels, 1 monitor lines, 1 effect line, 24V Phantom power supply, DSP multieffect 265 prgms; 2-way, bi-amp 300W rms for 1x15" neodymium woofer, 50W rms for 1x1" driver with custom horn</p> | € 1.124,43 |
| Powered Monitor | | | |
| 19842 | AMICO 100 | <p>Configuration AMICO 100:</p> <p>2-way, bi-amplified 80W rms for 1 x 6,5" woofer, 20W rms for 1 x 1" driver</p> | € 291,11 |
| Accessories for AMICO Series | | | |
| 29062 | BOX 22BK | Adjustable aluminum floor stand, Diam 35mm with Diam 25mm adapter, damped safety mechanism. Max weight 40 Kg | € 33,33 |
| 23373 | V 44 | Protection nylon bag for AMICO 1000, 500 and 400 | € 57,78 |